

# Transforming the Local Exchange Network, 6<sup>th</sup> Ed.

Lawrence Vanston, Ph.D. President, Technology Futures, Inc.

lvanston@tfi.com

TFI Telecommunications Asset Valuation Conference


January 29-30, 2014 Radisson Downtown Austin, Texas

13740 Research Blvd., Bldg. C-1 • Austin, Texas 78750 (512) 258-8898 • www.tfi.com

TECHNOLOGY

### **Factors to Consider**

- ILEC Access Line and DSL Losses
- The Demand for VHS Broadband Access
- Further Deployment of VHS Broadband
- Deployment of Fixed Wireless Broadband
- Demand for 100 Mb/s and Above
- Conversion of Metallic Feeder Cable and Narrowband Switching/Circuit Equipment
- Transition to Non-Metallic Distribution
   Architectures
   TECHNOLOGY
   FUTURES INC.




### **Changes from Previous Edition**


- Uses more publically available data reported by the three major ILECs.
- TFI's forecasts of higher broadband data rates have accelerated.
- Separate forecasts for rural and non-rural areas
- Less distinction between FTTN & TFFH companies.
- Streamlined to exclude factors that are no longer very important.


Copyright © 2014, Technology Futures, Inc. 5

### **ILEC Access Line Losses**












# Broadband Forecasts TECHNOLOGY FULLIRES INC. Copyright © 2014, Technology Futures, Inc. 10










# **Deployment of VHS Broadband To Additional Areas**













## **Conversion of Voice from Metallic Cable to VHS Broadband**


















Transition from Metallic Distribution Cable to Non-Metallic Distribution Architectures














# **TFI Industry Recommended Average Remaining Lives as of 1/1/2013**

	Technology Substitution Only	After Access Line Losses
Digital Switching (Legacy)*	3.1 - 5.3	2.5 - 3.7
Circuit Equipment (Legacy)*	2.8 - 4.5	2.4 - 3.4
Metallic Cable - Feeder	3.1 - 5.3	2.4 - 3.5
Metallic Cable - Distribution	3.1 - 7.0	2.6 - 5.2
Fiber Cable (Legacy)**	5.2 - 9.2	4.2 - 6.5

<sup>\*</sup> Applies to legacy equipment only. For VHS broadband equipment, TFI recommends an ARL based on a 4-10 year P-Life, depending on the equipment type.

<sup>\*\*</sup> Applies to legacy standard single mode fiber only. For full spectrum fiber, TFI recommends an ARL based on a 20-25 year P-Life.



## TFI Industry Recommended P-Lives as of 1/1/2013

	Technology Substitution Only	After Access Line Losses
Digital Switching (Legacy)*	7-12	6-10
Circuit Equipment (Legacy)*	7-11	6-9
Metallic Cable - Feeder	8-16	7-13
Metallic Cable - Distribution	11-19	10-16
Fiber Cable (Legacy)**	13-24	11-20

<sup>\*</sup> Applies to legacy equipment only. For VHS broadband equipment, TFI recommends a 4-10 year P-Life, depending on the equipment type.

<sup>\*\*</sup> Applies to legacy standard single mode fiber only. For full spectrum fiber, TFI recommends a 20-25 year P-Life.



Copyright © 2014, Technology Futures, Inc. 31



Your Bridge to the Future

TECHNOLOGY FUTURES INC.

# TFI Industry Recommended Average Remaining Lives as of 1/1/2011 PREVIOUS EDITION FOR

COMPARISON!	Technology Substitution Only	After Access Line Losses
Digital Switching	4.1 - 6.3	3.5 - 4.9
Circuit Equipment*	3.9 - 5.3	3.5 - 4.5
Metallic Cable - Feeder	4.2 - 6.3	3.4 - 4.7
Metallic Cable - Distribution	4.3 - 9.8	3.8 - 7.9
Fiber Cable**	6.6 - 10.5	5.6 - 8.4

<sup>\*</sup> Applies to non-VHS broadband equipment only. For VHS broadband equipment, TFI recommends an ARL based on a 4-10 year P-Life, depending on the equipment type.

<sup>\*\*</sup> Applies to standard single mode fiber only. For full spectrum fiber, TFI recommends an ARL based on a 20-25 year P-Life.



Copyright © 2014, Technology Futures, Inc. 33

### TFI Industry Recommended P-Lives as of 1/1/2011

### PREVIOUS EDITION FOR

<b>COMPARISON!</b>	Technology Substitution Only	After Access Line Losses
Circuit Switching	8-16	7-14
Circuit Equipment*	7-12	7-10
Metallic Cable - Feeder	9-18	8-15
Metallic Cable - Distribution	11-23	10-20
Fiber Cable**	12-23	10-20

<sup>\*</sup> Applies to non-VHS broadband equipment only. For VHS broadband equipment, TFI recommends a 4-10 year P-Life, depending on the equipment type.

<sup>\*\*</sup> Applies to standard single mode fiber only. For full spectrum fiber, TFI recommends a 20-25 year P-Life.

