

Transforming the Local Exchange Network

Lawrence Vanston, Ph.D. President, Technology Futures, Inc.

Ivanston@tfi.com

TFI Communications Technology Asset Valuation Conference

> January 28-29, 2015 Radisson Downtown Austin, Texas

13740 Research Blvd., Bldg. C-1 • Austin, Texas 78750 (512) 258-8898 • www.tfi.com

TECHNOLOGY ELITLIBES INC

TRANSFORMING THE LOCAL EXCHANGE NETWORK

6TH EDITION

Lawrence K. Vanston, Ph.D.

Ray L. Hodges

ECHNOLOGY

- TLEN
- 6th Edition, 2013
- Updates in progress
- 7th Edition, to appear 2015

TECHNOLOGY FUTURES INC.

Copyright © 2015, Technology Futures, Inc. 3


Factors to Consider


- ILEC Access Line and DSL Losses
- The Demand for VHS Broadband* Access
- Further Deployment of VHS Broadband
- Deployment of Fixed Wireless Broadband
- Demand for 100 Mb/s and Above
- Transfer of Metallic Feeder Cable and Narrowband Switching/Circuit Equipment
- Transition to Non-Metallic Distribution Architectures


* At least 10 Mb/s downstream


ILEC Access Line Losses




















Industry Broadband Forecasts




Copyright © 2015, Technology Futures, Inc. 13


Copyright © 2015, Technology Futures, Inc. 14


Broadband Generations, Data Rate Categories*


upstream is becoming important also.


Nominal	Range	
1.5 Mb/s	Less than 3 Mb/s	_
6 Mb/s	At least 3 Mb/s and less than 10 Mb/s	
24 Mb/s	At least 10 Mb/s and less than 25 Mb/s	
50 Mb/s	At least 25 Mb/s and less than 100 Mb/s	VHS
100 Mb/s	At least 100 Mb/s and less than 300 Mb/s	Broadband
300 Mb/s	At least 300 Mb/s (Includes 1 Gb/s)	
*These are b	ased on downstream, but	IOI OCY

















Deployment of VHS Broadband To Additional Areas



Deployment of VHS Broadband To Additional Areas

- Drivers
 - Bandwidth needs
 - Government policy
 - Competition
- Constraints
 - Capital cost and constraints
 - Government policy (or threat thereof)
 - Lack of completion
 - Willingness/Ability to pay




Copyright © 2015, Technology Futures, Inc. 23


Deployment of VHS Broadband To Additional Areas - Alternatives


- Fiber to the Node* (FTTN)
- Fiber to the Premises (FTTP)
- Fixed Wireless
- Mobile Wireless
- Hybrid Fiber Coax (HFC)
- Do nothing lose customers

*Includes VDSL, VDSL2, ADSL2, ADSL2+










Transfer of Voice from Metallic Cable to VHS Broadband (Not Updated)


From 2013 TLEN, 6th Edition Updates in progress





Transfer of Voice from Metallic Cable to VHS Broadband


- Drivers
 - Operations and maintenance cost savings
 - Business focus
 - Alternatives available or in place
 - Get unproductive assets off the books
- Constraints
 - Capital cost and constraints
 Issues with VoIP
 - Customer inconvenience & resistance
 - Government regulation
- Inertia & value in waiting copyright © 2015, Technology Futures, Inc. 29











Transition from Metallic Distribution Cable to Non-Metallic Distribution Architectures



Copyright © 2015, Technology Futures, Inc. 35

Transition from Metallic Distribution Cable

- Drivers
 - Bandwidth requirements
 - Operations and maintenance savings
 - Capital cost in new builds
 - Competition
- Constraints
 - Capital cost and constraints
 - Customer disruption and disatisifaction
 - Need not apparent




Deployment of 100 Mb/s Broadband To Additional Areas - Alternatives


- Fiber to the Node* (FTTN)
 - Will require fiber closer to premises
- Fiber to the Premises (FTTP)
- Fixed Wireless
- Mobile Wireless
- Hybrid Fiber Coax (HFC)
- Do nothing lose customers

*Includes VDSL, VDSL2, ADSL2, ADSL2+



Copyright © 2015, Technology Futures, Inc. 37





TFI Industry Recommended Average Remaining Lives as of 1/1/2013

	Technology	After Access Line
	Substitution Only	Losses
Digital Switching (Legacy)*	3.1 - 5.3	2.5 - 3.7
Circuit Equipment (Legacy)*	2.8 - 4.5	2.4 - 3.4
Metallic Cable - Feeder	3.1 - 5.3	2.4 - 3.5
Metallic Cable - Distribution	3.1 - 7.0	2.6 - 5.2
Fiber Cable (Legacy)**	5.2 - 9.2	4.2 - 6.5

^{*} Applies to legacy equipment only. For VHS broadband equipment, TFI recommends an ARL based on a 4-10 year P-Life, depending on the equipment type.

From 2013 TLEN, 6th Edition Updates in progress



^{**} Applies to legacy standard single mode fiber only. For full spectrum fiber, TFI recommends an ARL based on a 20-25 year P-Life.

TFI Industry Recommended P-Lives as of 1/1/2013

	Technology Substitution Only	After Access Line Losses
Digital Switching (Legacy)*	7-12	6-10
Circuit Equipment (Legacy)*	7-11	6-9
Metallic Cable - Feeder	8-16	7-13
Metallic Cable - Distribution	11-19	10-16
Fiber Cable (Legacy)**	13-24	11-20

^{*} Applies to legacy equipment only. For VHS broadband equipment, TFI recommends a 4-10 year P-Life, depending on the equipment type.

From 2013 TLEN, 6th Edition Updates in progress



Copyright © 2015, Technology Futures, Inc. 41



(512) 258-8898 • www.tfi.com

Your Bridge to the Future

TECHNOLOGY ELITLIDES INC

^{**} Applies to legacy standard single mode fiber only. For full spectrum fiber, TFI recommends a 20-25 year P-Life.